

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|--|
| Name of product | Bio-Fluid-Spray Code-Nr. 116000 |
| 1.2. Relevant identified uses of the substance or mixtu Recommended intended purpose(s) Technical Aerosols | ire and uses advised against |
| 1.3. Details of the supplier of the safety data sheet | |
| Distributor | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone : +49(0)251 / 9322 - 0, Fax : +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de |
| Advice | Produktsicherheit / Product-Safety-Department Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person): msds@weicon.de |
| 1.4. Emergency telephone number | |
| | EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) |
| Manufacturer | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster |
| 1.4. Emergency telephone number | |
| | GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch) |

SECTION 2: Hazards identification

2.2. Label elements

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] Hazard classes and Hazard categories Hazard Statements Aerosol 1 H222, H229 Hazard Statements Hazard Statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.



Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



Signal word Danger

Hazard Statements

| H222 | Extremely flammable aerosol. |
|------|---|
| H229 | Pressurised container: May burst if heated. |

Precautionary Statements

| P102 | Keep out of reach of children. |
|-------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P403 | Store in a well-ventilated place. |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |
| P501 | Dispose of contents/container to hazardous or special waste collection point. |
| | |

2.3. Other hazards

Product has an anesthetic effect.

Information pertaining to special dangers for human and environment

In extensive use, formation of flammable / explosive vapour-air mixture is possible.

.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Medical white oil, containing additives, in aerosol can. Propellant: propane / butane

! Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|----------|-----------------|-----------------------------|---------------|---|
| 74-98-6 | 200-827-9 | propane | 20 - 25 | Flam. Gas 1, H220 / Press. Gas, H280 |
| 106-97-8 | 203-448-7 | Butan (1,3 Butadiene <0,1%) | 20 - 25 | Flam. Gas 1, H220 / Press. Gas, H280 |
| REACH | | | | |
| CAS No | Name | | | REACH registration number |
| 74-98-6 | 74-98-6 propane | | | 01-2119486944-21 |
| 106-97-8 | Butan (1,3 B | utadiene <0,1%) | | 01-2119474691-32 |



SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomiting.

If swallowed seek medical advice immediately and show the doctor packing or label.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media Foam Dry powder Carbon dioxide

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Danger of bursting In case of fire formation of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing. Keep away sources of ignition.



6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). Disposal according to regulations.

Additional Information

Sort out leaky cans and dispose according to regulations.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink, smoke or take drugs. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Pressurized container. Do not pierce or burn even after use. Protect from heat and sunlight. Vapours can form an explosive mixture with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep in closed original container. Adhere to administrative regulations relating to storage of compressed gas cylinders / containers.

Further information on storage conditions

Protect from direct solar radiation. Storage temperature may not exceed 50°C (=122°F). Store container at cool and aired place.

7.3. Specific end use(s)

Recommendation(s) for intended use See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

| CAS No | Name | Code | [mg/m3] | [ppm] | Remark |
|----------|--------|-----------------------|--------------|------------|-----------|
| 106-97-8 | Butane | 8 hours Short-term | 1450 1810 | 600 750 | EH40/2005 |



Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| or in mornation on bacic physical and chomical properties | | | | | |
|---|-------------------|--------------|--|--|--|
| Appearance | Colour | Odour | | | |
| aerosol | colourless, clear | solvent-like | | | |
| Odour threshold not determined | | | | | |
| | · · · · · · | | | | |

Important health, safety and environmental information

| · · · | Value | Temperature | at | Method | Remark |
|-----------------------------------|----------------|-------------|----|--------|---------|
| pH value | not determined | | | | |
| boiling point | not applicable | | | | |
| Melting point / Freezing point | not determined | | | | |
| Flash point | not applicable | | | | Aerosol |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | not determined | | | | |
| Flammability (gas) | not determined | | | | |
| Ignition temperature | not determined | | | | |
| Self ignition temperature | not determined | | | | |
| Lower explosion limit | not determined | | | | |
| Upper explosion limit | not determined | | | | |



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH) Printed 05.08.2019 revision 12.07.2018 (GB) Version 8.7

Bio-Fluid-Spray

| | Value | Temperature | at | Method | Remark |
|---|----------------|-------------|----|--------|-------------------|
| Vapour pressure | 3,5 bar | 20 °C | | | Doseninnendruck |
| Relative density | not determined | | | | |
| Vapour density | not determined | | | | |
| Solubility in water | | | | | partially soluble |
| Solubility/other | not determined | | | | |
| Partition coefficient n- octanol/water (log P O/W) | not determined | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity | not determined | | | | |

Oxidising properties No information available.

Explosive properties

The product is considered non-explosive ; nevertheless explosive vapour/air mixtures can be generated .

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability No information available.

10.3. Possibility of hazardous reactions No information available.

NO INIOMALION AVAILADIE.

10.4. Conditions to avoid

Keep away from heat. Formation of explosive gas/air mixtures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Thermal decomposition

Remark No decomposition if used as directed.



SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

| | Value/Validation | Species | Method | Remark |
|--------------------|------------------|---------|--------|--------|
| Skin irritation | non-irritant | | | |
| Eye irritation | non-irritant | | | |
| Skin sensitization | non-sensitizing | | | |

Experiences made from practice

Inhalation causes narcotic effect/intoxication.

Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

Do not allow uncontrolled leakage of product into the environment. Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|--|
| Waste code No. | Name of waste |
| 15 01 10* | packaging containing residues of or contaminated by hazardous substances |

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Totally emptied packaging may be treated as household waste.

General information

For proper waste disposal a complete emptying of the tin is necessary.



SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR | |
|-------------------------------------|----------|----------|---------------------|--|
| 14.1. UN number | 1950 | 1950 | 1950 | |
| 14.2. UN proper shipping name | AEROSOLS | AEROSOLS | Aerosols, flammable | |
| 14.3. Transport hazard class(es) | 2.1 | 2.1 | 2.1 | |
| 14.4. Packing group | - | - | - | |
| 14.5. Environmental hazards | No | No | No | |
| 4.6. Special precautions for | user | | | |

Caution: Gases

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Land and inland navigation transport ADR/RID Hazard label(s) 2.1 tunnel restriction code D Classification code 5F transport in "limited quantities" according to 3.4 ADR is possible

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| VOC standard | |
|--------------|---------|
| VOC content | 44 % |
| VOC value | 301 g/L |

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

! SECTION 16: Other information

! Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.6

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.