

No. 1907/2006 (REACH) Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Leak Detection Spray

Code-Nr. 116510

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

**Technical Aerosols** 

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Aerosol 3 H229

**Hazard Statements** 

H229 Pressurised container: May burst if heated.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



No. 1907/2006 (REACH) Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

### Signal word

Warning

### **Hazard Statements**

H229 Pressurised container: May burst if heated.

### **Precautionary Statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

#### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

not applicable

### 3.2. Mixtures

### Description

Leak Detection Spray basing on aqueous tenside solution; without solvents.

### Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
10024-97-2	233-032-0	nitrous oxide	0,1 < 2,5	Ox. Gas 1, H270 / Press. Gas, H280
137-16-6 205-281-5 Natrium-N-Lauroylsarkosinat		< 0,35 Acute Tox. 2, H330 / Eye Dam. 1, H318 / Skin Irrit. 2, H315		
REACH				
CAS No	Name		REACH registration number	
10024-97-2	nitrous oxide		01-2119970538-25	
137-16-6	Natrium-N-Lauroylsarkosinat		01-2119527780-39	

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Take affected person into fresh air.

Do not leave casualty unattended.

### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with water.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

#### In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

### In case of ingestion

Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

### 5.2. Special hazards arising from the substance or mixture

Danger of bursting

Risk of formation of toxic pyrolyse products.

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

### **Additional information**

Cool endangered containers with water spray jet.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

### 6.2. Environmental precautions

No information available.

# 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Flush away residues with hot water.

After taking up the material dispose according to regulation.

### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures necessary if used correctly.

#### **General protective measures**

Avoid contact with eyes and skin

Do not inhale aerosols

#### Hygiene measures

At work do not eat, drink and smoke.

Work in rooms with good ventilation.

Wash hands before breaks and after work.

# Advice on protection against fire and explosion

Pressurized container.

Do not pierce or burn even after use.

The product is not combustible.

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep in closed original container.

Adhere to administrative regulations relating to storage of compressed gas cylinders / containers.

#### Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

# Further information on storage conditions

Protect from frost.

Protect from heat and direct solar radiation.

Storage temperature may not exceed 50°C (=122°F).

Store at 5 to 40°C (=41 to 104°F).

Keep in a cool place, heat causes increase in pressure and risk of bursting.

## 7.3. Specific end use(s)

# Recommendation(s) for intended use

See section 1.2

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
10024-97-2	Nitrous oxide	8 hours	183	100	EH40/2005

### Additional advice

The statutory local and national regulations have to be observed.

#### 8.2. Exposure controls

## **Respiratory protection**

Not required

#### **Hand protection**

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

### Eye protection

tightly fitting goggles

# Other protection measures

protective clothing

### Appropriate engineering controls

Sufficient ventilation and exhaustion.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

AppearanceColourOdouraerosolcolourlesscharacteristic

## **Odour threshold**

not determined

### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	7,5 - 8	20 °C			
boiling point	100 °C				
melting point	0 °C				
Flash point	not applicable				Aerosol
Vapourisation rate	not determined				
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	not applicable				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	5,5 - 7 bar	20 °C			
Relative density	ca. 1,015 g/ cm3	20 °C			
Vapour density	not determined				
Solubility in water					miscible
Solubility/other	not determined				



No. 1907/2006 (REACH) Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

Leak Detection Spray

Method Remark Value Temperature at Partition coefficient nnot determined octanol/water (log P O/W) not determined Decomposition temperature not determined Viscosity dynamic not determined Viscosity kinematic 0 % Solvent content > 98 % Water content **Oxidising properties** No information available. **Explosive properties** 9.2. Other information No information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Keep away from heat. Heating above 50°C

### 10.5. Incompatible materials

## Substances to avoid

Risk of bursting at temperatures above 50°C due to a pressure increase inside the container. Heating causes the pressure to increase. Risk of bursting through overheating.

### 10.6. Hazardous decomposition products

fluoric containing products

# Thermal decomposition

Remark No decomposition if used as directed.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

**Leak Detection Spray** 

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark	
LD50 acute oral	No relevant information available.				
LD50 acute dermal	No relevant information available.				
LC50 acute inhalation	0,5 mg/l (4 h)	rat	dust/mist	CAS: 137-16-6	
Skin irritation	low irritant effect - not necessary to label				
Eye irritation	low irritant - no labeling duty				
Skin sensitization	non-sensitizing				
Subacute Toxicity - Carcinogenicity					
	Value	Species	Method	Validation	
Mutagenicity				No experimental information on genotoxicity in vitro available.	

# Reproduction-Toxicity

No indications of toxic effects were observed in reproduction studies in

animals.

Carcinogenicity

No indications of carcinogenic effects are available from long-term

trials.

### **Experiences made from practice**

According to our experience and current information, the product has no detrimental effects on health if handled and used correctly

Frequent persistent contact with the skin may cause skin irritation.

### **Additional information**

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

Because of its consistency the product cannot be dispersed in the environment. Adverse ecological effects are therefore unlikely on the basis of current knowledge.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

Leak Detection Spray

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

### Behaviour in sewage plant

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

### Additional ecological information

Value Method Remark

**AOX** 

Product can contain organically bound halogen and contribute to the adsorbable organic halogen value.

#### **General regulation**

Do not allow uncontrolled leakage of product into the environment.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No.

Name of waste

16 05 04\*

gases in pressure containers (including halons) containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

### Recommendations for the product

Remove in accordance with local official regulations.

#### Recommendations for packaging

Dispose of according to the local waste regulations.

### Recommended cleansing agent

Water

#### **General information**

For proper waste disposal a complete emptying of the tin is necessary.

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, non-flammable
14.3. Transport hazard class(es)	2.2	2.2	2.2
14.4. Packing group	-	-	-
14.5. Environmental hazards	No	No	No



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 11.08.2017 (GB) Version 8.5

Leak Detection Spray

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### Land and inland navigation transport ADR/RID

Hazard label(s) 2.2 tunnel restriction code E Classification code 5A

transport in "limited quantities" according to 3.4 ADR is possible

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**VOC** standard

VOC content 0 %

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

#### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.4

H270	11-11	or intensify fi	
H//U	IVIAV CALISE (	or intensity it	re, oxidiser

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.