

No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3 **Bio-Welding Protection (Anti-Spatter)** 

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Bio-Welding Protection (Anti-Spatter)

Code-Nr. 150501

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

**Technical Liquids** 

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Eye Irrit. 2 H319

**Hazard Statements** 

H319 Causes serious eye irritation.

2.2. Label elements



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3 **Bio-Welding Protection (Anti-Spatter)** 

## Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

### Signal word

Warning

## **Hazard Statements**

H319 Causes serious eye irritation.

## **Precautionary Statements**

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling. P280 Wear protective gloves/eye protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point.

## 2.3. Other hazards

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## ! SECTION 3: Composition/ information on ingredients

### 3.1. Substances

not applicable

#### 3.2. Mixtures

## Description

Preparation of different active substances

## ! Hazardous ingredients

	•			
CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
121617-08-1	939-464-2	ALKYLBENZOLSULFONSÄURE (C10-13) TEA Salt	1 < 3	Eye Dam. 1, H318 / Skin Irrit. 2, H315
9002-92-0	931-996-3	Dodecan-1-ol, ethoxylated (>2.5 moles EO)	< 0,5	Eye Dam. 1, H318 / Aquatic Acute 1, H400 M=1 / Aquatic Chronic 3, H412 M=1
REACH				
CAS No	Name			REACH registration number
121617-08-1	ALKYLBENZ	OLSULFONSÄURE (C10-13) TEA Salt		01-2119971970-28
9002-92-0	Dodecan-1-o	I, ethoxylated (>2.5 moles EO)		Polymer



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3

## **Bio-Welding Protection (Anti-Spatter)**

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

#### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with water.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with water.

Refer to medical treatment.

## In case of ingestion

Seek medical advice.

Do not induce vomiting.

If swallowed give water to drink.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

water

nitrogen

Foam

ABC powder

Carbon dioxide

sand

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO2)

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

#### **Additional information**

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3

## **Bio-Welding Protection (Anti-Spatter)**

## ! SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Flush away residues with water.

After taking up the material dispose according to regulation.

## 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling Advice on safe handling

Keep container tightly closed.

Open and handle container with care!

## General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

## Hygiene measures

At work do not eat, drink and smoke.

Work in rooms with good ventilation.

Keep away from food and drink.

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep only in original container.

## Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

## Further information on storage conditions

Protect from frost.

Protect from heat and direct solar radiation.

Store container at cool and aired place.

## 7.3. Specific end use(s)

## Recommendation(s) for intended use

See section 1.2



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3 **Bio-Welding Protection (Anti-Spatter)** 

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**DNEL-/PNEC-values** 

**DNEL** worker

CAS No	Substance name	Value	Code	Remark
9002-92-0	Dodecan-1-ol, ethoxylated (>2.5 moles EO)	10,088 mg/ m3	DNEL long-term inhalative (systemic)	
		11,5 mg/kg	DNEL long-term dermal (systemic)	

#### Additional advice

The statutory local and national regulations have to be observed.

## 8.2. Exposure controls

## **Respiratory protection**

In case of insufficient ventilation or long-term effect use breathing apparatus.

Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, filter A

#### **Hand protection**

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

## Eye protection

tightly fitting goggles

## Other protection measures

protective clothing

## Appropriate engineering controls

Sufficient ventilation and exhaustion.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidcloudycharacteristic

## **Odour threshold**

not determined

## Important health, safety and environmental information

	Value	Temperature	at	Method	Remark	
pH value	7,5	20 °C				
boiling point	95 °C		1013 hPa			
solidifying point	0 °C					
Flash point	not applicable					



No. 1907/2006 (REACH) Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3

# **Bio-Welding Protection (Anti-Spatter)**

	Value	Temperature	at	Method	Remark
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not applicable				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	not determined				
Relative density	1 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					miscible
Solubility/other	not determined				
Partition coefficient noctanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	not determined				
Viscosity kinematic	not determined				
Solvent content	0 %				
Oxidising properties No information available.					
Explosive properties No information available.					
<b>9.2. Other information</b> No information available.					

# ! SECTION 10: Stability and reactivity

## 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No information available.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3 **Bio-Welding Protection (Anti-Spatter)** 

## 10.4. Conditions to avoid

Keep away from heat.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

## Thermal decomposition

Remark No decomposition if used as directed.

## ! SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

	\	Carrier	Mathaad	Damani
	Value/Validation	Species	Method	Remark
LD50 acute oral	> 2000 mg/kg			ATE
LD50 acute dermal	> 2000 mg/kg			ATE
LC50 acute inhalation	> 20 mg/l ()			ATE
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	irritant			
Skin sensitization	non-sensitizing			
Subacute Toxicity - Carcinogenicity				

	Value	Species	Method	Validation
Mutagenicity				No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity				No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity				No indications of carcinogenic effects are available from long-term trials.

## **Experiences made from practice**

Frequent and / or prolonged contact may lead to skin irritation Causes eye irritation.

#### ! Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3

## **Bio-Welding Protection (Anti-Spatter)**

## ! SECTION 12: Ecological information

## 12.1. Toxicity

## **Ecotoxicological effects**

J	Value	Species	Method	Validation
Fish	LC50 > 1 - 10 mg/l	Brachidanio rerio	OECD 203	CAS: 121617-08-1
Daphnia	EC50 > 10 - 100 mg/l (48 h)	Daphnia magna	OECD 202	CAS: 121617-08-1
Bacteria	EC10 50 mg/l (78 h)	Pseudomonas p	utida	CAS: 121617-08-1
12.2. Persister	nce and degradability Elimination rate	Method of analysis	Method	Validation
Degradability	> 70 % (28 d)		OECD 301 A	Readily biodegradable (to OECD criteria)

CAS: 121617-08-1

#### 12.3. Bioaccumulative potential

Because of its consistency the product cannot be dispersed in the environment. Adverse ecological effects are therefore unlikely on the basis of current knowledge.

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

## **General regulation**

No adverse ecological effects are known or expected to be a concern under normal use.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste code No.

Name of waste

12 01 99 15 01 02 wastes not otherwise specified

plastic packaging

## Recommendations for the product

Remove in accordance with local official regulations.

## Recommendations for packaging

Dispose of according to the local waste regulations.

Packaging that cannot be cleaned should be disposed of like the product.

## Recommended cleansing agent

Water

#### **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 13.08.2018 (GB) Version 9.3 **Bio-Welding Protection (Anti-Spatter)** 

# SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

#### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

## ! SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **VOC** standard

VOC content 0 %

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## ! SECTION 16: Other information

## ! Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 9.2

H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.