

No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

# ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Anti-Seize ASW High-Tech Assembly Paste

Code-Nr. 261000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Corrosion Protection and Lubricant

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

 Skin Irrit. 2
 H315

 Eye Dam. 1
 H318

**Hazard Statements** 

H315 Causes skin irritation.

H318 Causes serious eye damage.

2.2. Label elements



No. 1907/2006 (REACH) Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

### Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS05

# Signal word

Danger

#### **Hazard Statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.

# **Precautionary Statements**

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.
P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

P501 Dispose of contents/container to hazardous or special waste collection point.

#### Hazardous ingredients for labeling

calcium hydroxide

# 2.3. Other hazards

#### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

not applicable

### 3.2. Mixtures

# Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
1305-62-0	215-137-3	calcium hydroxide	10 < 20	Eye Dam. 1, H318 / Skin Irrit. 2, H315 / STOT

SE 3, H335

REACH

CAS NoNameREACH registration number1305-62-0calcium hydroxide01-2119475151-45



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove moisted clothing immediately.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

#### In case of eye contact

In case of contact with eyes rinsing with plenty of lukewarm water carefully and seek for medical treatment.

#### In case of ingestion

Refer to medical treatment.

# 4.2. Most important symptoms and effects, both acute and delayed

# Physician's information / possible symptoms

skin irritation

#### Physician's information / possible dangers

Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

### Treatment (Advice to doctor)

Treat symptoms.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

# Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO2)

Sulphur dioxide (SO2)

# 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

#### **Additional information**

Collect contaminated firefighting water separately, must not be discharged into the drains.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures necessary if used correctly.

#### **General protective measures**

Do not inhale vapours.

Avoid contact with eyes and skin

#### Hygiene measures

At work do not eat, drink and smoke.

Wash hands before breaks and after work.

### Advice on protection against fire and explosion

No special measures necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep in closed original container.

#### Advice on storage compatibility

Do not store together with acids.

Do not store together with oxidizing agents.

### Further information on storage conditions

Recommended storage temperature: room temperature.

# 7.3. Specific end use(s)

# Recommendation(s) for intended use

See section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No Name Code [mg/m3] [ppm] Remark



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

# Ingredients with occupational exposure limits to be monitored (continued)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
1305-62-0	Calcium hydroxide	8 hours	5		EH40/2005

# **DNEL-/PNEC-values**

**DNEL** worker

CAS No	Substance name	Value	Code	Remark
1305-62-0	calcium hydroxide	1 mg/m3	DNEL long-term inhalative (systemic)	
		4 mg/m3	DNEL acute inhalative (local)	
		4 mg/m3	DNEL acute inhalative (systemic)	
		1 mg/m3	DNEL long-term inhalative (local)	
DNEC				

### **PNEC**

CAS No	Substance name	Value	Code	Remark	
1305-62-0	calcium hydroxide	0,49 mg/l	PNEC aquatic, intermitte	nt release	
		1080 mg/kg	PNEC soil, freshwater		
		3 mg/l	PNEC sewage treatment	plant (STP)	
		0,32 mg/l	PNEC aquatic, marine wa	ater	
		0,49 mg/l	PNEC aquatic, freshwate	er	

# Additional advice

The statutory local and national regulations have to be observed.

# 8.2. Exposure controls

Respiratory protection

Not required

### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min:60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

#### Eye protection

tightly fitting goggles

# Other protection measures

protective clothing

#### Appropriate engineering controls

Sufficient ventilation and exhaustion.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance Colour Odour

pasty white hardly noticeable

**Odour threshold** 



No. 1907/2006 (REACH) Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

not determined

	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	not determined				
melting point	not determined				
Flash point	> 200 °C			ISO 2592	basic oil
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	> 200 °C				estimate
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	ca. 1,3 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					insoluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not applicable				
Decomposition temperature	not determined				
Viscosity kinematic	not applicable				
Viscosity dynamic	not applicable				

No information available.

### **Explosive properties**

not determined

# 9.2. Other information

No information available.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Reactions with strong acids.

Reactions with strong oxidising agents.

#### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

#### Substances to avoid

Reactions with strong acids.

Reactions with strong oxidising agents.

# 10.6. Hazardous decomposition products

Hydrogen sulphides

Reproduction-

Carcinogenicity

**Toxicity** 

#### Thermal decomposition

Remark No decomposition if used as directed.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
Skin irritation	irritant			
Eye irritation	risk of strong eye injuries			
Skin sensitization	non-sensitizing			
Subacute Toxicity - 0	Carcinogenicity			
	Value	Species	Method	Validation
<b>Chronic Toxicity</b>				-
Mutagenicity				No experimental information on genotoxicity in vitro available.

No indications of toxic effects were

observed in reproduction studies in

effects are available from long-term

No indications of carcinogenic

animals.

trials.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

#### Specific target organ toxicity (single exposure)

not applicable

#### Specific target organ toxicity (repeated exposure)

not applicable

#### **Aspiration hazard**

not applicable

#### **Experiences made from practice**

Risk of strong eye injuries.

Irritates mucous membranes.

Irritates eyes and skin.

#### **Additional information**

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No information available.

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

# **General regulation**

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Recommendations for the product

Remove in accordance with local official regulations.

### Recommendations for packaging

Dispose of according to the local waste regulations.

# **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 26.07.2017 (GB) Version 8.7 Anti-Seize ASW High-Tech Assembly Paste

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	: -	-	-

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

# Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **VOC** standard

VOC content 0 %

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

#### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.6

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation